

VLF-200


Nonwoven, needlepunched geotextile for separation and filtration function, weight is 6oz/sy.

#320202



Technical Data Sheet

■ Green up the roof!

	<p>Diadem VLF-200 is a 6oz/sy weight, nonwoven, needlepunched, polypropylene geotextile used for filtering water out of the growing media while preventing fine □ particles from washing out. The geotextile is resistant to bitumen, and biological & chemical environments normally found in soils with limited □ resistance to UV degradation. Install on top of the drainage layer, with about 4" of overlap.</p>	
	Dim.	VLF-200
Width	m	2,0 (roll width)
Lenght	m	100 (roll lenght)
Thickness	mm	1,9
Diameter	cm	~45 (roll diameter)
Weight	kg	40 (roll weight)
Surface weight	g/m ²	200
Density	g/cm ³	0,9
Melting point	°C	±165
Tensile strenght weft	kN/m	12,0
Tensile strenght warp	kN/m	14,0
CBR-test, strenght	N	2200

Reviewed: 2015-06-12 09:42:27

Specifications are subject to change without notice.

DIADEM USA, Inc.

8795 SW Tualatin Sherwood Rd #1005, Tualatin, OR 97062
 Email: info@diademusa.com; Web: www.diademusa.com