

KLS-SS-2/2-arch

Stainless Steel Metal Edging for creating Arches.

162061U5

KEY FEATURES

- Quick and easy installation
- No cutting required
- Allows continuous drainage
- Durable



KLS edges provide vertical separation between planted and non-planted areas and terminate the layers along the edges.

APPLICATION

For vegetative roof applications KLS edges provide vertical separation between planted and non-planted areas, between areas of differing materials (i.e. drain rock and growing media), or to hold or contain growing media. KLS-SS-2/2 edges and may be used for edging green roofs up to 2" growing media depth.

SPECIFICATION

KLS-SS-2/2 edge products are L-shaped and made of stainless steel with stamp-cut openings along the main fold to allow creating arches and curves. Profile length is about 4 feet/piece and are also available in corten steel.

TECHNICAL DATA

| | |
|---------------------------------------|---------------------------|
| Material: | 304 Grade Stainless Steel |
| Profile Length: (inch) | 47-1/4 |
| Thickness: (Mil) | 20 |
| Width: (inch) | 2 |
| Height: (inch) | 2 |
| Weight: (lbs/pcs) | 1.74 |
| Minimum radius : (inches) | 6 |
| Installation Standard: (hr/piece) | 0.15 |
| Material requirement: (piece/piece) | 1.05 |
| Perforations: (inch ² /ft) | 1.45 |

Reviewed: 2021-02-18 14:20:53



DIADEM USA, Inc.
8795 SW Tualatin Sherwood Rd #1005, Tualatin, OR 97062
info@diademusa.com • www.diademusa.com



Green Up the Roof!